




U N I K A S S E L
V E R S I T Ä T



Hydraulic engineering solutions for withdrawal and permanent storage of solid carrying water from seasonal flash floods in semi-arid regions

Prof. Dr.-Ing. Stephan Theobald

Head of the Department of
Hydraulic Engineering and Water Resources Management,
University Kassel, Germany




Overview

- Introduction in rural and urban flash floods
- Methods for risk analysis
- Method application on semi-arid regions
 - Flood risk management
 - Storage of water
- Conclusion

Rural and urban flash floods

- High intensity rain of short duration (e.g. >100 mm / 6 h)
- Multiple events in 2016, increasingly frequent
- Injuries (e. g. seven dead) & high level of damage



Source: Allianz

Flash flood in June 2016, Germany/Simbach



Source: Südwest Press



Source: deutsche-wirtschafts-nachrichten.de

Rural and urban flash floods

- Risk analysis
- Preventive measures
 - public administration measures and communication
 - regional planning and area development planning
 - engineering flood prevention, facility protection

Storage capacity of roads



Source: DWA

multi-functional use



Source: DWA

mobile flood barriers




Source: Fa. Blobel

Risk analysis - Method

- 2D-HN-Simulation (flow velocity, water depth)


$$\frac{\partial uh}{\partial t} + \frac{\partial u^2 h}{\partial x} + \frac{\partial uvh}{\partial y} = -\frac{g}{2} \cdot \frac{\partial h^2}{\partial x} + \frac{h}{\rho} \cdot \frac{\partial \sigma_x}{\partial x} + \frac{h}{\rho} \cdot \frac{\partial \tau_{yx}}{\partial y} - g \cdot h \cdot \frac{\partial z_b}{\partial x} - \frac{\tau_{bx}}{\rho}$$
$$\frac{\partial vh}{\partial t} + \frac{\partial v^2 h}{\partial y} + \frac{\partial uvh}{\partial x} = -\frac{g}{2} \cdot \frac{\partial h^2}{\partial y} + \frac{h}{\rho} \cdot \frac{\partial \sigma_y}{\partial y} + \frac{h}{\rho} \cdot \frac{\partial \tau_{xy}}{\partial x} - g \cdot h \cdot \frac{\partial z_b}{\partial y} - \frac{\tau_{by}}{\rho}$$
$$\frac{\partial h}{\partial t} + \frac{\partial hu}{\partial x} + \frac{\partial hv}{\partial y} = 0$$



**Flood 1984, Lahn river,
Germany/Roth**

Risk analysis - Method


- Coupling the hydrologic and hydraulic process
- Large scale 2D-HN-model to simulate the surface runoff (not only streams, entire catchment area)



Large scale 2D-HN-modelling - Data



- Surface elevation (DEM) and stream bathymetry
- Land use, soil parameter (roughness, infiltration, evaporation)

exemplary catchment area (120 km²)








Simulation Tool - Input

- Spatial precipitation loads
 - Duration, distribution, compass direction and velocity
- Time and soil variable runoff coefficient



Simulation Tool - Input

- Movable precipitation load and runoff process





Spatial distribution
 $A_N = 4 \text{ km}^2$

Precipitation load
 $h_N = 20 \text{ mm}$, $\psi = 0.25$, $t_N = 1 \text{ h}$

speed of precipitation movement
 $v = 1 \text{ m/s}$

Simulation Tool - Results

impact of the precipitation movement




Different scenarios of precipitation movement



- steady
- $v = 1 \text{ m/s}$
- $v = 2 \text{ m/s}$
- $v = 4.5 \text{ m/s}$

Simulation Tool - Results

surface runoff, flow path, water depth




flow velocity




Simulation Tool - Output

- Basin reaction (runoff formation and concentration)
- Travel times of flash floods and catchment outlet
- Surface runoff (flow velocity and water depth)





Risk analysis and planning
preventive measures



Planning water
intake structure

Application on semi-arid regions

- Seasonal and short-term precipitation of high intensity
- Exploitation of flash flood runoff (Rainwater harvesting)
- Identify the watershed area and flow paths
- Find sites for flood protection measures and decentralized water withdrawal structures



Reservoir - Problems

- Sedimentation (& salinization)



Source: Tewedros Fikre Zenebe, Delft


Storage of water

- Separate water flow from solids
- Rainwater harvesting (reservoirs, underground storage, infiltration)
- Identify flow zones prone to special phenomena of sediment transport and fluvial morphology
 - Design and operation of hydraulic structures used for water abstraction and infiltration
 - Consider the effects of suddenness, sediment transport and clogging




Water intake

- Separate solids (sediments and debris) from water flow
- Minimize sediment input into the reservoir
- Reservoir desedimentation is increasingly important



Water intake

- Water intake structures in the Alpine region
- Reduced bedload transport




Water intake

- Water abstraction from the river bed with coanda-screen and sand trap




Source: Eberl, ZEK, 02/2017



Source: Giesecke, 2012

3D-HN-modelling / laboratory model

- Flow optimized design of hydraulic structures
- Simulation of erosion and sedimentation



3D-HN-modelling / laboratory model

- Morphologic investigations at the river Rhine on a hydraulic model with mobile bed



Conclusion

- Models help to understand complex systems
- Proposed application of robust and efficient 2D-HN-modelling was experimentally applied on watersheds of several hundred km²
- Site identification for flood protection and water withdrawal
- Optimization of design of water abstraction
- Construction design and dimensioning
 - sand trap, screen / trash-rack, pipelines, reservoir

Thank you for your attention



This wonderful *falaj* is in Wadi bani Khalid, Al Sharqiyah Region.